#### **ADVERTISEMENT FOR BIDS**

The Beauregard Parish Police Jury does hereby advertise for sealed bids and will open same on:

- 1. Monday, June 27, 2022
- 2. At the Beauregard Parish Police Jury Office, 201 West Second Street, DeRidder Louisiana, at 10:00 a.m. <u>Bids will be accepted through 9:30 a.m. on Monday, June</u> 6, 2022.
- 3. For the following item(s):
  - 1. One (1) Dump Truck with bed
  - 2. One (1) Broom Sweeper
  - 3. One (1) Dump Trailer
  - 4. One (1) Used Dodge Ram 3500 or equivalent
  - 5. One (1) Skid Mounted Herbicide Sprayer
  - 6. One (1) Asphalt Distributor
- 4. All bids must be submitted on PARISH BID FORMS, which may be obtained at the Beauregard Parish Police Jury Public Works Office, located at 201 West 2<sup>ND</sup> Street, DeRidder LA, or by calling (337)463-7019, or electronically at www.centralbidding.com.
  - 5. Bids may be held by the Parish of Beauregard for a period not to exceed thirty (30) days from the date of opening of bids for the purpose of reviewing the bids and investigating the qualifications of bidders prior to award.
  - 6. Official action on this bid will be taken within thirty (30) days by the Beauregard Parish Police Jury.
  - 7. All bids MUST be plainly marked on the outside of the envelope: BID FOR "SPECIFY WHICH ITEM(S) BID ON"

/s/ Bryan McReynolds

Parish Administrator

#### **BID FORM**

PROJECT IDENTIFICATION:	Purchase of one (1) Dump Truck with Bed Parishwide
THIS BID SUBMITTED TO:	Beauregard Parish Police Jury
	201 W 2 <sup>nd</sup> Street
	DeRidder I A 70634

- The undersigned BIDDER proposes and agrees, if this Bid is accepted, to enter into an agreement with OWNER to furnish price quotes for specified materials as indicated in the Procurement Documents for the Bid Price and within the times indicated in this Bid and in accordance with the other terms and conditions of the Procurement Documents.
- 2. BIDDER accepts all of the terms and conditions of the Advertisement to Bid.
- 3. In submitting this Bid, BIDDER represents, as more fully set forth in the Agreement, that:

BIDDER has examined and carefully studied the Bidding Documents and the following Addenda receipt of all which is hereby acknowledged: (list Addenda by Addendum Number and Date)

- 4. BIDDER is familiar with and is satisfied as to federal state and local Laws and Regulations that may affect cost, progress, performance and furnishing of the Equipment.
- 5. This Bid is genuine and not made in the interest of or on behalf of any undisclosed person firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; BIDDER has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; BIDDER has not solicited or induced any person or corporation to refrain from bidding; and BIDDER has not sought by collusion to obtain for itself any advantage over any other Bidder or over OWNER.
- 6. Bidder will furnish one (1) Dump Truck with Bed in accordance with the Procurement Documents for the following prices:

Model			
Cash Purchase:	\$		

- 7. In accordance with Act 1029 of the 1991 Regular Session of the Louisiana Legislature, NO State or Local Sales Taxes will be applicable on the purchase of this equipment.
- 8. Delivery shall be in **180 days** of bid award. If the manufacturer/vendor fails to make delivery within the specified time, the Owner reserves the right to cancel the bid and to purchase the item from the next lowest Bidder, charging the increase in price and cost of handling, if any, to the said manufacturer/vendor.
- 9. The bid shall include Contractor's written application for substitute equipment.
- 10. The bid shall include the completed Specifications Checklist with explanation of "NO" responses.
- 11. Bidder agrees that if awarded the contract he/she will furnish an executed copy of the Affidavit for Attesting that Public Contract was not secured through employment or payment of solicitor.
- 12. Any questions concerning the specifications on this bid should be directed to Patrick Dick, Road Manager, at (337)463-7019.

This bid is:

Submitted By:	
Facility and Location: _	
Federal ID Number:	

(The manner of signing for each individual, partnership and corporation that is a party to the joint venture should be in the manner indicated below.)

IF BIDDER is:

1.	An Individual Name (typed or printed):	
	By: (Individual's signature)	
	(Individual's signature)  Doing business as:	
	Business address:	
	Phone No.: Fax No.:	
2.	A Partnership Partnership Name :	(SEAL)
	By:(Signature of general partner - attach evidence of authority to sign)	
	Name (typed or printed):	
	Business address:	
	Phone No.: Fax No.:	
3.	A Corporation Corporation Name:	(SEAL)
	State of Incorporation:	
	Type (General Business, Professional, Service, Limited Liability):	
	BY (Signature - attach evidence of authority to sign)	
	Name (typed or printed):	
	Title:	

	Attest:	(CORPORATE SEAL)	
	(Signature of Corporate Secretary)		
	Business address:		
	Phone No.:		
	Date of Qualification to do business is:_		
4.	A Joint Venture		
	Joint Venturer Name:		(SEAL)
	Ву		
	(Signature of joint venture partner - att		1)
	Name (typed or printed):		
	Title:		
	Business address:		
	Phone No	Fay No.	
	Priorie No	_ Fax NO	
	Joint Venturer Name:	(9	SEAL)
	Ву		
	(Signature of joint venture partner - att	ach evidence of authority to sigr	1)
	Name (typed or printed):		
	Title:		
	Business address:		
	DI N		1
	Phone No.	Fax No.:	

#### **AFFIDAVIT**

# ATTESTING THAT PUBLIC CONTRACT WAS NOT SECURED THROUGH EMPLOYMENT OR PAYMENT OF SOLICITOR

To be executed by all contractors, subcontractors, persons, corporations, firms, associations, or other organizations receiving value for services rendered in connection with this project:

STATE OF	-
PARISH OR COUNTY OF	
	, being first duly sworn deposes and says:
(1) They are	of
(Affiant's Name)	(Company Name, etc.)
	e/a Contractor, Subcontractor, Person, Corporation, zation receiving value for services rendered in
directly or indirectly, to secure this payment, other than persons regu	cion, firm, association, or other organization, either public contract under which they are to receive alarly employed by the affiant whose services in securing this public contract were in the regular d
any person, corporation, firm, ass	o be received by affiant was paid or will be paid to sociation, or other organization for soliciting the their normal compensation to persons regularly

Signed:	
Title:	
SWORN TO AND SUBSCRIBED before me	
This day of, 20_	
NOTARY PUBLIC	

employed by the affiant whose services in connection with the project are/were in the

normal course of their duties for affiant.

My Commission expires

#### **Bid Specifications:**

#### **GENERAL**

These specifications describe the minimum requirements for the purchase of a Dump Truck with Bed. This equipment shall be new, of current manufacture and production model and must meet all State and Federal safety standards in effect at the time of delivery.

#### **EQUIVALENT GOODS**

Contractor's written application for substitute equipment shall be submitted with his Bid Proposal. Failure to include said application in the Bid Proposal will render said Proposal NON RESPONSIVE.

#### **EQUIPMENT**

Specifications are based upon a 2023 Freightliner with a 14 Yard Warren Dump Bid and are as follows. Please note any deviations:

Vehicle Configuration				
001-172	M2 106 CONVENTIONAL CHASSIS	5,709	3,503	
004-223	2023 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-001	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	10	10	
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
A85-011	CONSTRUCTION SERVICE			
A84-1GM	GOVERNMENT BUSINESS SEGMENT			
AA4-010	DIRT/SAND/ROCK COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			

	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
	995-091	MEDIUM TRUCK WARRANTY		
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 13000.0 lbs		
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs		
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY: 53000.0 lbs		
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 80000.0 lbs		
Truck Se	ervice			
	AA3-004	END DUMP BODY		
	AF3-2BM	UTILITY TRUCK EQUIPMENT COMPANY		
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in		
Tractor	Service			
	AA2-009	LOWBOY TRAILER		
	AH6-001	SINGLE (1) TRAILER		
Engine				
	101-3BP	CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM	640	30
Electron	nic Parameters			
	79A-070	70 MPH ROAD SPEED LIMIT		
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
	79K-012	PTO MODE ENGINE RPM LIMIT - 1500 RPM		
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED		
	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		

79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY
80G-002	PTO MINIMUM RPM - 700
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH
Engine Equipment	
99C-021	2010 EPA/CARB/GHG21 CONFIGURATION
99D-010	NO 2008 CARB EMISSION CERTIFICATION
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES
290-017	BATTERY BOX FRAME MOUNTED
281-001	STANDARD BATTERY JUMPERS
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN

289-001	NON-POLISHED BATTERY BOX COVER
87P-001	CAB AUXILIARY POWER CABLE
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR
131-013	AIR COMPRESSOR DISCHARGE LINE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
239-001	STANDARD EXHAUST SYSTEM LENGTH
237-052	RH STANDARD HORIZONTAL TAILPIPE
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH

276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
110-003	CUMMINS SPIN ON FUEL FILTER
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER
266-101	900 SQUARE INCH ALUMINUM RADIATOR
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-016	RADIATOR DRAIN VALVE
168-002	LOWER RADIATOR GUARD
134-001	ALUMINUM FLYWHEEL HOUSING
132-004	ELECTRIC GRID AIR INTAKE WARMER
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH
Transmission	
342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
Transmission Equipmen	ut en
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

84D-023 SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT **FAMILIES ONLY** 84E-000 PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND **VOCATIONAL USAGE** 84F-000 SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND **VOCATIONAL USAGE** 84G-000 PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE 84H-000 SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON. THIS DEFINED BY ENGINE AND **VOCATIONAL USAGE** 84J-000 **ENGINE BRAKE RANGE PRESELECT** RECOMMENDED BY DTNA AND ALLISON. THIS DEFINED BY ENGINE AND **VOCATIONAL USAGE** 84K-000 **ENGINE BRAKE RANGE ALTERNATE** PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE 84N-200 FUEL SENSE 2.0 DISABLED -PERFORMANCE - TABLE BASED 84U-000 DRIVER SWITCH INPUT - DEFAULT - NO **SWITCHES** 84V-001 **DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS** 353-023 VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT END OF **FRAME** 

34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED	
362-824	(2) CUSTOMER INSTALLED CHELSEA 280 SERIES PTO'S	
363-011	PTO MOUNTING, LH AND RH SIDES OF MAIN TRANSMISSION	
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN	
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED	
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013	
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK	
35T-001	SYNTHETIC TRANSMISSION FLUID (TES- 295 COMPLIANT)	
Front Axle and Equipment		
400-1EA	DETROIT DA-F-13.0-3 13,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE	
402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	
403-002	NON-ASBESTOS FRONT BRAKE LINING	

402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS
427-001	FRONT BRAKE DUST SHIELDS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES

405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
536-050	TRW THP-60 POWER STEERING
539-003	POWER STEERING PUMP
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE
Front Suspension	
620-1D8	13,300# TAPERLEAF FRONT SUSPENSION
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
410-001	FRONT SHOCK ABSORBERS
Rear Axle and Equipme	ent
420-1K3	MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE
421-529	5.29 REAR AXLE RATIO
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES
87A-001	BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING

434-019	ASPHALT SPREADER CLEARANCE REAR BRAKE GEOMETRY	
451-023	CONMET CAST IRON REAR BRAKE DRUMS	
425-002	REAR BRAKE DUST SHIELDS	
440-006	REAR OIL SEALS	
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS	
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS	
41T-001	MINERAL SAE 80/90 REAR AXLE LUBE	
Rear Suspension		
622-1CH	HENDRICKSON RT403 @40,000# REAR SUSPENSION	
621-016	HENDRICKSON RT/RTE - 7.19" SADDLE	
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP	
624-011	52 INCH AXLE SPACING	
628-004	STEEL BEAMS AND RUBBER CENTER BUSHINGS WITH BAR PIN ADJUSTABLE END CONNECTIONS	
623-005	FORE/AFT CONTROL RODS	
439-023	REAR SHOCK ABSORBERS FOR FORWARD AXLE OF TANDEM ONLY	
Brake System		
018-002	AIR BRAKE PACKAGE	
490-100	WABCO 4S/4M ABS	
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES	
904-001	FIBER BRAID PARKING BRAKE HOSE	
412-001	STANDARD BRAKE SYSTEM VALVES	
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM	

413-002	STD U.S. FRONT BRAKE VALVE
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
479-015	AIR DRYER FRAME MOUNTED
460-093	STEEL AIR BRAKE RESERVOIRS; CUSTOMER ACCEPTS TANKS MOUNTED PERPENDICULAR TO RAIL
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS
<b>Trailer Connections</b>	
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION
297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT
Wheelbase & Frame	
545-450	4500MM (177 INCH) WHEELBASE
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT
552-030	1600MM (63 INCH) REAR FRAME OVERHANG

55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 111.61 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 108.61 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 279.13 in
FSS-OLH	CALCULATED FRAME SPACE LH SIDE : 34.34 in
FSS-ORH	CALCULATED FRAME SPACE RH SIDE : 13.36 in
553-001	SQUARE END OF FRAME
550-001	FRONT CLOSING CROSSMEMBER
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-001	STANDARD SUSPENSION CROSSMEMBER
Chassis Equipment	
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS
558-001	FRONT TOW HOOKS - FRAME MOUNTED
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS
551-002	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS
Fuel Tanks	

	206-190	40 GALLON/151 LITER RECTANGULAR ALUMINUM FUEL TANK - RH
	204-195	60 GALLON/227 LITER RECTANGULAR ALUMINUM FUEL TANK - LH
	218-005	RECTANGULAR FUEL TANK(S)
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
	212-014	LH FUEL TANK MOUNTED FORWARD, RH FUEL TANK MOUNTED AFT
	664-001	PLAIN STEP FINISH
	205-001	FUEL TANK CAP(S)
	122-1J1	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND 12 VOLT PREHEATER"
	216-020	EQUIFLO INBOARD FUEL SYSTEM
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
Tires		
	093-12C	HANKOOK AL21 11R22.5 14 PLY RADIAL FRONT TIRES
	094-2EU	HANKOOK DH06 11R22.5 14 PLY RADIAL REAR TIRES
Hubs		
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
Wheels		
	502-523	MAXION WHEELS 90262 22.5X8.25 10- HUB PILOT 6.19 INSET 5-HAND STEEL DISC FRONT WHEELS

505-523	MAXION WHEELS 90262 22.5X8.25 10- HUB PILOT 5-HAND STEEL DISC REAR WHEELS
496-011	FRONT WHEEL MOUNTING NUTS
497-011	REAR WHEEL MOUNTING NUTS
Cab Exterior	
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
650-008	AIR CAB MOUNTING
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
678-001	LH AND RH GRAB HANDLES
646-009	PAINTED PLASTIC GRILLE
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE
644-004	FIBERGLASS HOOD
727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED
726-002	DUAL ELECTRIC HORNS
728-001	SINGLE HORN SHIELD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY
302-047	LED AERODYNAMIC MARKER LIGHTS
311-001	DAYTIME RUNNING LIGHTS
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1BH	DUAL WEST COAST MOLDED-IN COLOR MIRRORS
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH

743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
729-001	STANDARD SIDE/REAR REFLECTORS
768-043	63X14 INCH TINTED REAR WINDOW
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS
654-003	MANUAL DOOR WINDOW REGULATORS
663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED

#### **Cab Interior**

707-1AM	OPAL GRAY CLOTH INTERIOR
706-013	MOLDED PLASTIC DOOR PANEL
708-013	MOLDED PLASTIC DOOR PANEL
772-006	BLACK MATS WITH SINGLE INSULATION
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING
694-010	IN DASH STORAGE BIN
693-008	PLASTIC MANIFEST BOX - LH AND RH DOORS
742-007	(2) CUP HOLDERS LH AND RH DASH
680-006	GRAY/CHARCOAL FLAT DASH
720-002	2-1/2 LB. FIRE EXTINGUISHER
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

170-015	STANDARD HEATER PLUMBING
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR
702-002	BINARY CONTROL, R-134A
739-033	STANDARD INSULATION
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
78G-004	KEY QUANTITY OF 4
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
284-045	(2) 12 VOLT POWER RECEPTACLES MOUNTED IN DASH
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION
760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS
758-036	VINYL WITH VINYL INSERT DRIVER SEAT
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT
763-101	BLACK SEAT BELTS
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL

## 765-002 DRIVER AND PASSENGER INTERIOR SUN VISORS

#### **Instruments & Controls** 732-004 **GRAY DRIVER INSTRUMENT PANEL** 734-004 **GRAY CENTER INSTRUMENT PANEL** 870-001 **BLACK GAUGE BEZELS** 486-001 LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM 840-002 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES 198-025 INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS 721-003 1040 87 DECIBELS TO 112 DECIBELS **AUTOMATIC SELF-ADJUSTING BACKUP** ALARM 149-013 ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL 156-007 KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY 811-042 ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED **HEAVY DUTY ONBOARD DIAGNOSTICS** 160-038 INTERFACE CONNECTOR LOCATED BELOW LH DASH 844-001 2 INCH ELECTRIC FUEL GAUGE 148-003 PROGRAMMABLE RPM CONTROL -**ELECTRONIC ENGINE** 856-001 **ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE** 864-001 2 INCH TRANSMISSION OIL **TEMPERATURE GAUGE**

830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
679-998	NO OVERHEAD INSTRUMENT PANEL
746-136	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939
747-001	DASH MOUNTED RADIO
750-002	(2) RADIO SPEAKERS IN CAB
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
482-001	BW TRACTOR PROTECTION VALVE
883-001	TRAILER HAND CONTROL BRAKE VALVE
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE

298-039 INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS

**OVERRIDING STOP LAMPS** 

Design		
	065-000	PAINT: ONE SOLID COLOR
Color		
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
	964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX
	963-003	STANDARD E COAT/UNDERCOATING
Certification / Compliance		
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
Secondary Factory Options		
	48Q-998	NO TIRE INFLATION DEVICE/SYSTEM

### Raw Performance Data

AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO

REAR SUSPENSION C/L (CA): 108.61 in

#### **Dealer Installed Options**

14 YARD WARREN DUMP WITH ELECTRIC TARP AND HITCH