

ADVERTISEMENT FOR BIDS, BID FORM, and SPECIFICATIONS
Cold Mix

ADVERTISEMENT FOR BIDS

The Beauregard Parish Police Jury does hereby advertise for bids and will open same on May 8, 2023.

Sealed bids will be received at the Administrative Office, 201 W. 2nd Street, DeRidder, Louisiana 70634, or online at: <https://www.centralauctionhouse.com> until 9:30 o'clock a.m. local time, May 8, 2023, and will be opened at 10:00 o'clock a.m., May 8, 2023.

For the following item(s):

Cold Mix

Questions regarding this bid shall be directed to: Pat Dick, Road Superintendent, 201 W. 2nd Street DeRidder, LA 70634 Cell Phone: 337-401-45977 E-mail: pdick@beauparish.org.

All bids must be submitted on PARISH BID FORMS, which contain the detailed options. Bid forms may be obtained at the Beauregard Parish Police Jury Public Works Office, located at 201 West 2ND Street, DeRidder LA, or by calling (337) 462-0675, or electronically at www.centralbidding.com or www.beauparish.org.

Bids will be awarded to the lowest responsible bidder that meets the specifications.

Bids delivered by hand MUST be plainly marked on the outside of the envelope: "BID FOR Tank Car and Half Tank Car Culverts"

/s/ Bryan McReynolds
Parish Administrator

BID FORM

- 1. The undersigned BIDDER proposes and agrees, if this Bid is accepted, to enter into an agreement with OWNER to furnish bids for specified materials as indicated in the Procurement Documents for the Bid Price and within the times indicated in this Bid and in accordance with the other terms and conditions of the Procurement Documents.
- 2. BIDDER accepts all the terms and conditions of the Advertisement to Bid.
- 3. In submitting this Bid, BIDDER represents, as more fully set forth in the Agreement, that:
 - (a) BIDDER has examined and carefully studied the Bidding Documents and the following Addenda receipt of all which is hereby acknowledged: (if applicable list Addenda by Addendum Number and Date)

Addendum Number	Addendum Date

- (b) BIDDER is familiar with and is satisfied as to all federal state and local Laws and Regulations that may affect cost, progress, performance and furnishing of the Materials.
- (c) This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; BIDDER has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; BIDDER has not solicited or induced any person, firm or corporation to refrain from bidding; and BIDDER has not sought by collusion to obtain for itself any advantage over any other Bidder or over OWNER.

4. BIDDER will furnish Railroad Tank Car Culverts for the following stated unitprices:

\$_____per ton

- 5. The Parish reserves the right to reject any or all bids or to waive any informality in the bidding. The contract, if awarded, will be awarded to the bidder submitting the lowest total bid price per linear foot.
- 6. The item to be bid is to be furnished to the Beauregard Parish Police Jury, for a period of one year from the date of opening of bid.
- 7. Each order under this contract will be placed by or through the Public Works Department of the Beauregard Parish Police Jury. A purchase order must be issued and received prior to accepting orders. No material is to be provided unless it has been cleared through the Public Works Department.
- 8. The Beauregard Parish Police Jury, in awarding this contract, does hereby agree to

Beauregard Parish Police Jury-Bid Packet

procure the item(s) as liked from the vendor to whom the contract is awarded during this twelve-month period only.

9. Material ordered under this bid must be provided to the Police Jury within fifteen (15) days from the date order is placed.
10. Total Bid Price will be F.O.B. Destination. The Total Bid Price shall include all fees and costs required to furnish the materials included in the bid form.
11. In accordance with Act 1029 of the 1991 Regular Session of the Louisiana Legislature, NO State or Local Sales Taxes will be Applicable on the purchase of this material.
12. Preference for the purchase of Louisiana products shall be granted in accordance with LA Revised Statute 38:225 1, paragraph H which reads as follows:

"H. Each procurement officer, purchasing agent, or similar official who procures or purchases materials, supplies, or equipment under the provisions of this Chapter may purchase materials, supplies, or equipment which are Louisiana products, as defined in Paragraph A (8) of this Section, and which are equal in quality to other materials, supplies or equipment, provided that all of the following conditions are met:

 - (1) The cost of the Louisiana products does not exceed the cost of other materials, supplies, or equipment which are manufactured, processed, produced, or assembled outside the state by more than five percent.
 - (2) The vendor of Louisiana products agrees to sell the products at the same price as the lowest bid offered on such products.
 - (3) In cases where more than one bidder offers Louisiana products which are within five percent of the lowest bid, the bidder offering the lowest bid on Louisiana products is entitled to accept the price of the lowest bid made on such products."
13. Materials furnished shall be in accordance with the attached specifications.
14. Bidder agrees that if awarded the contract they will furnish an executed copy of the Affidavit for Attesting that Public Contract was not secured through employment or payment of solicitor.
15. This bid is:

Submitted By: _____

Facility and Location: _____

Federal ID Number: _____

Date: _____

(The manner of signing for each individual, partnership and corporation that is a party to the joint venture should be in the manner indicated below.)

IF BIDDER is:

a. An Individual

Name (typed or printed): _____

By: _____

(Individual's signature)

Doing business as: _____

Business address: _____

Phone No.: _____ Fax No.: _____

b. A Partnership

Partnership Name : _____(SEAL)

By: _____

(Signature of general partner - attach evidence of authority to sign)

Name (typed or printed): _____

Business address: _____

Phone No.: _____ Fax No.: _____

c. A Corporation

Corporation Name: _____(SEAL)

State of Incorporation: _____

Type (General Business, Professional, Service, Limited Liability): _____

BY _____

(Signature - attach evidence of authority to sign)

Name (typed or printed): _____

Title: _____

Attest: _____ (CORPORATE SEAL)

(Signature of Corporate Secretary)

Business address: _____

Phone No.: _____ Fax No.: _____

Date of Qualification to do business is: _____

d. A Joint Venture

Joint Venturer Name: _____ (SEAL)

By _____
(Signature of joint venture partner - attach evidence of authority to sign)

Name (typed or printed): _____

Title: _____

Business address: _____

Phone No. _____ Fax No.: _____

Joint Venturer Name: _____(SEAL)

By _____
(Signature of joint venture partner - attach evidence of authority to sign)

Name (typed or printed): _____

Title: _____

Business address: _____

Phone No. _____ Fax No.: _____

**AFFIDAVIT
ATTESTING THAT PUBLIC CONTRACT WAS NOT SECURED
THROUGH EMPLOYMENT OR PAYMENT OF SOLICITOR**

To be executed by all contractors, subcontractors, persons, corporations, firms, associations, or other organizations receiving value for services rendered in connection with this project:

STATE OF _____

PARISH OR COUNTY OF _____

_____, being first duly sworn deposes and says:

(1) They are _____ of

(Affiant's Name)

(Company Name, etc.)

_____, the/a Contractor, Subcontractor, Person, Corporation, Firm, Association, or other organization receiving value for services rendered in connection with this Project;

(2) They employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure this public contract under which they are to receive payment, other than persons regularly employed by the affiant whose services in connection with this project or in securing this public contract were in the regular course of their duties for affiant; and

(3) That no part of the contract price to be received by affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than payment of their normal compensation to persons regularly employed by the affiant whose services in connection with the project are/were in the normal course of their duties for affiant.

Signed: _____

Title: _____

SWORN TO AND SUBSCRIBED before me

This _____ day of _____, 20____.

NOTARY PUBLIC
My Commission expires

High Performance Cold Mix Specifications

Description:

The following specifications are for a polymer modified high performance cold asphalt mix to be used in repairing of potholes, utility cut repairs, skin patches, longitudinal & lateral joint repairs, skin patches on both asphalt and concrete pavements as well as bridge deck repairs.

General Requirements:

- A. Be workable at a minimum temperature of zero degrees Fahrenheit without being heated.
- B. Adhere to both concrete and asphaltic surfaces that are dry, damp or wet.
- C. Be unaffected by salt or deicing compounds.
- D. Be shipped in bag form (351b or 501b) or in bulk from stockpiling, as specified.
- E. Remain usable in uncovered stockpiles of 50 tons or more for at least 12 months.
- F. Be uniform and not require remixing prior to use.

Performance Testing:

The mixture of aggregates and asphaltic materials will be subjected to water susceptibility of asphaltic concrete materials (DOTD TR-317, step S(e) thru 5(h)) mixture which exhibits any stripping shall be rejected.

Composition:

Aggregate and binder material shall be combined in such portions that the mixture meets the following requirements:

% By Weight

Material Type A

Aggregate 94-

96

Residual Asphalt 4-6

Materials:

Test methods shall be latest in effect.

- a. Aggregates - mixed aggregates to have combine gradations per chart below.

% Passing by Weight

US Sieve Type A

¾"	100
½"	100
3/8"	100
No.4	70-100
No. 10	20-40
No. 40	5-15
No. 80	0-10
No. 200	0-5

*Crushed aggregate shall have 70% minimum crushed faces as determined in accordance with DOTD TR-306. Mixture shall have a minimum of 94% crushed aggregate.

Test on Asphaltic Material with Additives

<u>Test</u>	<u>Method</u>	<u>Specification</u>
Kenematic viscosity@ 140F,(60C)	D2170	350-5000
Flash point, COC, F	D1310	200°F
Water, Vol%	D95	<0. 2
Distillation	D402	See values below
Absolute viscosity @ 140F, poises	D2171	125-425 Poises
Ductility@4C, 1 cm/min, cm	DI13	100 minimum
Solubility in Trichloroethylene, wt%	D2042	99%minimum
Penetration***	D5 mod.	180 minimum

***This test shall be performed in accordance with ASTM D-5, except that a penetration cone conforming to ASTM D-217 shall be used in place of the standard penetration needle. The total moving weight of the cone and attachments shall be 150±0.1 gram. The transfer dish water level shall be lowered to less than the height of the sample and then water from the top of the sample shall be decanted before transferring from the bath to the penetrometer.

Aggregate

- Soundness loss (sodium-5 cycles) 12.0%
- maximum Los Angeles abrasion loss 45.0%
- maximum Absorption 0.5%-3.0%
- Specific Gravity 2.45%-2.80%
- (-200) Sieve (by wash) 2.5% maximum

Mix Design

A mix design shall be furnished that shows compliance with the following mixture test:

Minimum Maximum

- Aggregate gradations JMF JMF
- Percent (- 200) material 5%
- Bituminous content 4.5% 6.5%
- Residual asphalt content 3.5% 6.5%
- Stripping test (maximum% uncoated) 0.0%

Preparation of Mixture:

The mix shall be prepared by a dryer capable of heating aggregate to 300•F ± 20 degrees.

Questions regarding this bid shall be directed to:

Pat Dick, Road Superintendent
201 W. 2nd Street
DeRidder, LA 70634
Cell Phone: 337-401-5977
E-mail: pdick@beauparish.org